


TECHNICAL REPORT RD-DE-87-3

SDCNCC - A MICROCOMPUTER BASED CODE FOR FISCAL STATUS CHARTS

Barbara J. Rogers Miles E. Holloman Directed Energy Directorate Research, Development, & Engineering Center

MARCH 1987





U.S. ARMY MISSILE COMMAND

Redstone Arsenal, Alabama 35898-5000

Approved for public release; distribution is unlimited.

DISPOSITION INSTRUCTIONS

DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED. DO NOT RETURN IT TO THE ORIGINATOR.

DISCLAIMER

THE FINDINGS IN THIS REPORT ARE NOT TO BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION UNLESS SO DESIGNATED BY OTHER AUTHORIZED DOCUMENTS.

TRADE NAMES

USE OF TRADE NAMES OR MANUFACTURERS IN THIS REPORT DOES NOT CONSTITUTE AN OFFICIAL INDORSEMENT OR APPROVAL OF THE USE OF SUCH COMMERCIAL HARDWARE OR SOFTWARE.

	UN	CL	ASS:	[FI	ED	
2000			10.00			 <u> </u>

CURITY CLASSIFICATION OF THIS PAGE AD A178013

		R	EPORT D	OCUMENTATIO	N PAGE	-	Form Approved OM8 No 0704-0188 Exp Date Jun 30 1986				
1a. REPORT SI	CURITY CLASS	IFICATIO	N		16. RESTRICTIVE MARKINGS						
UNCLAS					<u> </u>						
2a. SECURITY	CLASSIFICATIO	N AUTH	ORITY			/AVAILABILITY OF					
2b. DECLASSIF	ICATION / DOW	VNGRAD	NG SCHEDU	re		for public r ion is unlim					
4. PERFORMIN	G ORGANIZAT	ION REP	ORT NUMBE	R(S)	5. MONITORING	ORGANIZATION RE	PORT N	UMBER(S)			
RD-DE-	87-3										
6a NAME OF Directed	PERFORMING Energy Dir			6b OFFICE SYMBOL (If applicable)	7ª NAME OF MO	ONITORING ORGAN	IZATION				
Res, Dev,	& Eng Cer	nter		AMSMI-RD-DE							
6c. ADDRESS	City, State, an	d ZIP Co	de)		76 ADDRESS (CI	ty, State, and ZIP C	ode)				
Commander					•						
US Army M Redstone				AMSMI-RD-DE							
	FUNDING / SPO			86 OFFICE SYMBOL	9 PROCUREMEN	T INSTRUMENT IDE	NTIFICA	TION NUMBER			
ORGANIZA	TION			(If applicable)							
8c. ADDRESS (City State and	1 710 Com		<u> </u>	10 SOURCE OF	UNDING NUMBERS					
ac. ADDRESS (City, State, and	211 (00	₹,		PROGRAM	PROJECT	TASK	WORK UNIT			
					ELEMENT NO.	NO	NO	ACCESSION NO			
								1			
12 PERSONAL	- A Micro	ocompi	iter Base	d Code For Fisc	al Status Ch	narts					
Barbar	a J. Roger	rs and	Miles E	. Holloman							
13a TYPE OF Final	REPORT		136 TIME CO FROM Sep		MARCH 1987	RT (Year, Month, C	(ay) 1	PAGE COUNT			
16. SUPPLEME	NTARY NOTAL	TION									
17	COSATI			18. SUBJECT TERMS (C	(Continue on reverse if necessary and identify by block number)						
FIELD	GROUP	SUB	-GROUP	Microcomputer	•						
				Vu-graphs	Charts						
10 49579467	/Captions 22		4	and identify by block n							
SDCN fiscal in plotted o	CC is a m formation n a singl	icrocc . The e chan	omputer be program	, ,	he generatio line graph	with a table	e of t	charts to present che input data			
	ION / AVAILAB		_		21 ABSTRACT SE UNCLASSIE	CURITY CLASSIFICA	TION				
	SIFIED/UNLIMIT			PT DTIC USERS		I LED (Include Area Code)	1225 0	OFFICE SYMBOL			
	a J. Roge		JUAL		(205) 876-8			II-RD-DE			

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted

All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED

TABLE OF CONTENTS

		Page
ı.	INTRODUCTION	1
II.	HARDWARE/SOFTWARE REQUIREMENTS	2
III.	PRACTICAL CONSIDERATIONS AND COMMENTS	2
IV.	INPUT INSTRUCTIONS	3
	A. General B. Data Input File Form C. Line of Instruction Information	3
v.	EXECUTING THE PROGRAM	9
	APPENDIX	A-1

LIST OF ILLUSTRATIONS

Figure	<u>Title</u>	Page
1	Sample format for SDC financial status	. 5
2	Example input file - project data	6
3	Monitor output during execution	10
4	Chart curve options	12
A-1	Data portion of input file project data	A-2

I. INTRODUCTION

The SDCNCC code is a PC based computer program created to generate graphic charts reporting the status of funds received by and/or through The Strategic Defense Command (SDC). The format of the presentation chart is that form used by the SDC in reporting; there are, however, limited options available to allow some degree of versatility to other reports. The code is written in Microsoft FORTRAN and uses Microcompatibles PLOTMATICS for communication with a Hewlett-Packard plotter.

(Comment

DOMESTIC STATE RESERVES SERVERS (TO SECURE

The SDCNCC chart combines a table of numerical data that is to be tracked for each month of the fiscal year with a graphical representation. The code allows the eight parameters of interest to SDC to be tabulated and plotted. The types of data that are typically tracked by SDC are:

- a. ANNUAL PROGRAM FUNDING Funding budget for a project.
- b. FUNDING RECEIVED Funding received by the project.
- c. PLANNED OBLIGATIONS Funding that has been planned for obligation on a contract or for an in-house activity but has not actually been obligated.
- d. ACTUAL OBLIGATIONS Funds that have been transferred to a contractual or in-house activity against which charges may be made.
- e. NON-CANCELABLE COMMITMENTS (NCC) Planned Funds that will not be available for recovery from a contract or in-house project.
- f. ACTUAL NCC Funds that are not available for recovery from a contract or in-house project.
- g. EXPENDED PLANNED Represents the charges that are planned against obligated funds for a given period of time.
- h. ACTUAL AMOUNT EXPENDED Actual charges made against Obligated funds.

II. HARDWARE/SOFTWARE REQUIREMENTS

The SDCNCC computer code is compiled in Microsoft FORTRAN version 3.2. It is designed to run on a minimal IBM Personal Computer or PC compatible microcomputer with 256k of RAM and either monochrome or graphics monitor. The code is designed to produce a chart on a Hewlett-Packard plotter. Switches on the plotter should be set as follows:

2400 baud

8 bit word

no parity

Y/D switch set to D

US-A4 switch set to US.

An editor is required to create and modify the input files used by the program.

III. PRACTICAL CONSIDERATIONS AND COMMENTS

To avoid confusion in terminology, the following explanation of terms is provided: The computer code will plot eight data curves; each curve consists of up to twelve data points. The eight data curves are established by the SDC requirement; the twelve data points established by a desire to represent a full year, more than twelve time intervals, i.e. months, leads to very busy charts. In this report, the term curve will be used to represent the data points depicting the behavior of a given parameter with time. Data is entered into the program by time period, typically by month. That is, all eight data points for a given month are entered as a data set. Thus, the term data set consists of eight data points representing each of the family of eight curves at a point in time.

Any chart that attempts to represent as many as eight curves on a single chart can become very busy and confusing. The user must exercise judgement in the choice of line colors and line patterns used to simplify the chart as much as possible. The eight figures of merit typically presented in the SDCNCC chart consist of four planned actions and four actual actions, i.e., expensed plan and expensed actual. For a chart of this type, it is suggested that the planned events be represented by dashed lines, color coded to distinguish one from the other. The actual events can then be solid lines of corresponding colors thus limiting the line patterns involved.

IV. INPUT INSTRUCTIONS

A. General

The SDCNCC Code outputs data of the type discussed in Section I introduction, and in the format illustrated in Figure 1. This is the general form that is required for SDC financial status presentations.

B. Data Input File Form

A data file must be created as input into the SDCNCC Code. A typical data file is shown in Figure 2. The file must be in the exact form shown with the same general format of data and labels, although the actual heading names and the data entries may be different. Usually, the input data plotted verses the months of the year; however, the user can specify the desired labels here also. The program allows the user to track up to eight figures of merit verses twelve months of the year. The general form of the data input file is given below:

LINE NUMBER	LINE CONTENTS
1	CHART TITLE
2	CHART SUBTITLE
3	VERTICAL AXIS LABEL
4	BLANK LINE (divider)
5	LABEL FOR FIRST CURVE
6	LABEL FOR SECOND CURVE
7	LABEL FOR THIRD CURVE
8	LABEL FOR FOURTH CURVE
9	LABEL FOR FIFTH CURVE
10	LABEL FOR SIXTH CURVE
11	LABEL FOR SEVENTH CURVE
12	LABEL FOR EIGHTH CURVE
13	CURVE PEN NUMBERS
14	LABEL PEN NUMBER
15	LINE PATTERNS
16	LINE PATTERN LENGTHS

LINE NUMBER	LINE CONTENTS (CONTINUED)
17	PERCENTAGE FLAGS
18	MAXIMUM VALUE FOR VERTICAL AXIS
19	DATA SET LABEL (i.e., "OCT")
20	DATA SET (EIGHT DATA POINTS)
21	SAME AS 19
22	SAME AS 20
ETC.	ETC.

C. Line of Instruction Information

Specific information for each line of instruction is given below. For additional information, the user is encouraged to review the example data input file found in Figure 2.

LINE 1 - CHART TITLE

The CHART TITLE will be centered and written in bold letters at the top of the chart. The practical length for this line is 10-20 characters.

LINE 2 - CHART SUBTITLE

The CHART SUBTITLE will be centered and written below the CHART TITLE on the chart. It should also be 10 - 20 characters in length.

LINE 3 - VERTICAL AXIS LABEL

The VERTICAL AXIS LABEL is alpha-numeric text and should not be any longer than 20 characters. The practical length of the Y-axis label is 10 characters.

LINE 4 - BLANK LINE

This line serves as a divider between the title information and the input data.

LINES 5 - 12 - CURVE LABELS

These lines of information contain the labels for the data curves used in the chart. These will be written at the lower left side of the chart next to the corresponding data entries.




Figure 1. Sample format for SDC financial status.

THE PROPERTY AND THE PROPERTY OF THE PROPERTY

STATUS OF FUNDS
FY86 - K06.1 PROJECT BETA
DOLLARS IN MILLIONS

```
ANNUAL PROGRAM
FUNDS RECEIVED
OBLIGATION PLAN
ACTUAL OBLIGATION
NCC PLAN(ESTIMATED)
ACTUAL NCC
EXPEND PLAN
ACTUAL EXPEND
  5 6
        6
          7
              7
                 R
        2
           3
              3
                 4
  1
     2
        7
              7
                 4
1 7
     2
           3
.7 1. 2. 1. 2. 1. 3. 1.
0 0
     0
        2 0
              0
60.00
OCT
56.0 , 3.6 , 1.0 , 1.0 , 1.0 , 0.6 .
NOV
56.0 , 4.1 , 3.0 , 3.0 , 2.5 , 1.1 , 5.0 .
56.0, 11.1, 3.5, 4.4, 3.0, 1.1, 0.5, 00
JAN
56.0, 21.1, 9.5, 8.7, 7.0, 7.5, 1.0, 0.5
56.0 , 56.0 , 18.5 , 19.8 , 13.5 , 11.8 , 6.5 , 1.0
MAR
56.0 , 56.0 , 43.0 , 40.4 , 18.5 , 17.3 , 8.5 , 1.4
48.0 , 48.0 , 43.0 , 41.6 , 24.5 , 23.4 , 12.5 , 3.8
MAY
48.0 , 48.0 , 44.0 , 41.5 , 31.0 , 29.8 , 13.5 ,
JUN
46.5 , 46.5 , 41.7 , 42.8 , 35.0 , 34.1 , 17.0 , 13.1
JUL
46.5 , 46.5 , 45.3 , 44.7 , 38.5 , 39.3 , 21.0 , 18.9
AUG
46.1 , 46.1 , 45.6 , 45.0 , 43.0 , 43.6 , 24.5 , 20.7
SEP
46.1 , -10. , 45.6 , -10. , 45.6 , -10. , 27.8 , -10.
```

Figure 2. Example input file - project data.

LINE 13 - CURVE PEN NUMBERS

This line of information specifies the pen to be used to draw the chart for each data set. A total of eight integer numbers must be specified corresponding to each of the eight data sets; each of the numbers must be separated by at least one blank space. An example entry for line 13 is:

5 6 7 8 5 6 7 8

This example instructs the program to use pen "5" to draw the curve for the first data set, pen "6" for the second, etc. The actual color used is determined by the user not only by these specifications, but also by the arrangement of the pens in the plotter carousel. Wide pens usually work best.

LINE 14 - LABEL PEN NUMBERS

This line of information specifies the pen numbers that are to be used to write the curve labels that are input on LINES 5 - 12. Fine point plotter pens should be used for clarity of the plotted labels since the lettering is necessarily small. One should coordinate the color pen used for the labels, LINE 14, with the curve on the graph, LINE 13, for the corresponding data curve. These numbers are also input on the same line of the file as integers with two blanks between the values.

LINE 15 - LINE PATTERN TYPE SPECIFICATION

This line of information specifies the line types to be used in plotting the curves. Six line types are available ranging from solid lines to dotted lines. Illustrated below are the LINE PATTERN codes used for the six line patterns.

1 •	•	•	•
2			
3 ———			
4		 .	
5 —————————————————————————————————————			
6			
ONE PATTERN LENG			

LINE 16 - LINE PATTERN LENGTH SPECIFICATION

This line of information specifies the line pattern length for each of the line patterns specified in LINE 15. This information specifies, for example, the relative length of dashes used in a dashed line. The user should review the user's guide for the plotter in use and, in particular, the primitive HPGL command LT. Recommended values to be used are as follows:

■1とととなるなの■10シッシッショ■点のシンシンは(

LINE PATTERN CODE		LINE PATTERN PARAMETERS
1		0.7
2		2.0
3		2.0
4		3.0
5		2.0
6		3.0
7	solid line	1.0

LINE 17 - PERCENTAGE FLAGS

This line of information sets the flags for the percentages that can be plotted with the labels named in LINES 5 - 12, plotted in the lower left of the chart, see Figure 1. A detailed explanation for setting these flags is found in the Appendix. Setting the value to zero indicates to the program not to calculate any percentage and not to put a value on the chart. The flags are input as eight integers on the same line with two spaces between the values.

LINE 18 - MAXIMUM VALUE FOR VERTICAL AXIS

This number is the maximum value of the vertical axis to be plotted on the chart. It should be equal to or larger than the largest number in the input data. It should be a number that is evenly divisible by 5 so that the data values of the vertical axis are even numbers that are pleasing.

LINE 19 - FIRST DATA SET LABEL

This is an alpha-numeric label to be placed on the horizontal axis above which the first data point in each of the eight curves is to be plotted. Typically this label denotes a point in time such as the month. These labels should be limited to three letters.

LINE 20 - FIRST DATA SET

This line contains the first value of data for each of the eight curves that corresponds to the curve labels entered on LINES 5 - 12. These eight values are the data for each heading that corresponds to the label input on LINE 19. For example, in the chart of Figure 1 these are the data entries for each heading for the month of October (OCT in Figure 1). The eight values are input on one line of the file separated by commas. If there is not a data value available for a particular heading, a negative number, equal in value to the value entered on LINE 19, should be input into that position. The program keys on a negative number as no value. The program will not input a value under the corresponding heading for which there is no number available and will not plot a number on the graph. This avoids the problem of the program plotting a zero for a number that is not yet available.

LINES 19 and 20 are then repeated up to eleven more times to complete the data sets for the data labels as entered on LINE 19 and that are associated with the curve labels entered on LINES 5 - 12.

V. EXECUTING THE PROGRAM

After the input data file has been generated and stored on disk and the plotter turned on, the SDCNCC program is run by typing "SDCNCC" following the system prompt. Figure 3 is a printout of the information appearing on the screen during a typical program execution. The program title logo initially appears on the screen along with the program prompt "STRIKE "ENTER" TO CONTINUE." The user strikes the "ENTER" or "RETURN" key to continue. The next prompt is of the form:

SPECIFY PLOTTING OPTION - 0,1,2,3

- 0 FLAT-TOP OPTION
- 1 END OF MONTH ZERO INITIAL VALUE OPTION
- 2 END OF MONTH SPECIFIED INITIAL VALUE
- 3 MIDDLE OF MONTH OPTION

The program provides several options as to how the data curves are to be plotted. As previously stated, the code was designed to represent fiscal data on a monthly basis. This results in no subdivision within a month. Generally, the approach taken is one which the curve plotted reaches the specified value at the end of the month, options 0, 1, and 2. However, the slope of the line within the month does not represent the actual data on a daily basis. Option 3 specifies that the curve reaches the specified value centered within the chart space allotted for a given month.

The above logic allows a reasonable representation of the data at an adequate degree of resolution. A difficulty can arise with the first data set. For the first data set, typically at the beginning of a fiscal year, the funding may begin at zero on the first of the month but have achieved a nonzero value by month's end. If this be the case, Option 1 is provided to represent the data. Option 1, in effect, assumes an initial data point of zero for each curve. Alternatively, if the first data set represents a continuing project, it may not be appropriate to begin the chart at zero for each curve. In this case, Option 2 should be used to draw a horizontal line for the first month at the level specified in the data input file. In effect, Options 0 and 3 avoid this problem somewhat by assuming a single data point for any month including the first. Figure 4 illustrates each of the curve options.

The final prompt is "ENTER DATA FILE NAME" to which the user should respond by typing complete name of the input data file to include any extensions. For legibility and convenience, the name should be typed in upper case letters since this character string is affixed to the upper right corner of the chart in small lettering.

The program reads the input data file and displays the data on the screen, allowing the user to find errors that might occur. The code has no additional error checking features other than those "built in" features of the FORTRAN compiler.

```
п
                ບໍ່ບໍ່ບໍ່ບໍ່ບໍ່
                          Ü
                Ũ
                          Ü
            ш
                Ü
                          Ü
            п
                บับบบับ
                       ບິບິບິບິ
                            ÜÜÜ
                                   ບໍ່ບໍ່ບໍ່ບໍ່ບັ
                                          ÜÜÜ
                                               ΰΰΰ
            п
            ¤
                    Ü
                       ÜÜ
                             Ü
                                    ÜÜ
                                          Ü
                                               Ü
                    Ü
                       ÜÜ
                                    ÜÜ
                                          Ü
                                               Ü
                              Ü
            п
                ÜÜÜÜÜÜ
                       ÜÜÜÜÜ
                             ÙÙÜ
                                    ÜÜ
                                          ÜÜÜ
            п
                                               ÜÜܤ
            ¤
                   UTILITY FOR SDC FISCAL REPORTING
            Д
                     U.S. ARMY MISSILE COMMAND
                      TECHNICAL REPORT TBD
            п
            п
                   GRAPHICS - PLOTMATICS
                             MICROCOMPATIBLES
                             SILVER SPR'NG, MD
            STRIKE "ENTER" TO CONTINUE
SPECIFY PLOTTING OPTION - 0,1,2,3
  0 - FLAT-TOP OPTION
  1 - END OF MONTH - ZERO INITIAL VALUE OPTION
  2 - END OF MONTH - SPECIFIED INITIAL VALUE OPTION
  3 - MIDDLE OF MONTH OPTION
ENTER DATA FILE NAME
pro PROJ.DAT
              STATUS OF FUNDS
THE SUBTITLE
              FY86 - K06.1 PROJECT BETA
Y-AXIS LABEL
                  DOLLARS IN MILLIONS
```

п

п

Д

Д

Д

п

¤

п

п

¤

П

¤

Figure 3. Monitor output during execution. (Sheet 1 of 2)

THE TITLE

LABEL #2 LABEL #3

LABEL #4

LABEL #5

LABEL #6

LABEL #7

LABEL #8

LABEL #1 ANNUAL PROGRAM

FUNDS RECEIVED

OBLIGATION PLAN

ACTUAL NCC

EXPEND PLAN

ACTUAL EXPEND

ACTUAL OBLIGATION

NCC PLAN(ESTIMATED)

THE PENS THE LINE	S TO BE US TO BE UE TYPES TE PATTERN	SED FOR O BE USE PARAMTE	LABELS A ED ARE ETERS ARE	RE 1	1 1 7 7 1.0 2	6 6 2 2 2 7 2.0 1.0 0 2	7 3 3 2.0 1.	7 8 3 4 7 4 0 3.0 1 0 2	. (
	VALUE IS	60.	.000						
OCT 56.000	3,600	1.000	1.000	1.000	. 600	.000	.000		
NOV 56.000	4.100	3.000	3.000	2.500	1.100	.000	.000		
DEC 56.000 JAN	11.100	3.500	4.400	3.000	1.100	. 500	.000		
56.000 FEB	21.100	9.500	8.700	7.000	7.500	1.000	. 500		
56.000 MAR	56.000	18.500	19.800	13.500	11.800	6.500	1.000		
56.000 APR	56.000	43.000	40.400	18.500	17.300	8.500	1.400		
48.000	48.000	43.000	41.600	24.500	23.400	12.500	3.800		
MAY 48.000 JUN	48.000	44.000	41.500	31.000	29.800	13.500	6.800		
46.500 JUL	46.500	41.700	42.800	35.000	34.100	17.000	13.100		
46.500 AUG	46.500	45.300	44.700	38.500	39.300	21.000	18.900		
46.100 SEP	46.100	45.600	45.000	43.000	43.600	24.500	20.700		
46.100	-10.000	45.600	-10.000	45.600	-10.000	27.800	-10.000		

Figure 3. Monitor output during execution. (Sheet 2 of 2)

***** DATA INPUT IS COMPLETE ****




Figure 4. Chart curve options.



SETTING THE PERCENTAGE FLAGS

APPENDIX

Setting The Percentage Flags

The information input on LINE 15 of the data file enables the user to display important percentage values on the chart. The percentages displayed in Figure 1 show the percentages of total funds received by the project that have been obligated and expended to date, and the planned expenditures to date. The method for setting the flags is somewhat cumbersome, but allows the user flexibility in calculating percentages.

The following is an explanation of the method for setting the percentage flags found on LINE 15. Figure A-1 is a portion of the input data set and will be used to explain the process for setting the flags. The columns of data have been labeled with the letters A-H to facilitate the discussion. These eight columns also represent the sets of data that are associated with the eight headings input in LINES 5-12. The data input (Figure 2) for LINE 15 in the example chart will also be used in the discussion.

A	В	С	D	E	F	G	Н		
0	0	0	2	0	0	2	2	(LINE	15)

The zeros in positions A, B, C, E, and F tell the SDCNCC code not to perform any percentage calculations for that heading. The numbers in positions D, G, and H flag the code to calculate a percentage for that code, and the value of the number tells the code what number to use in the calculation.

The percentage that was plotted on the chart for ACTUAL OBLIGATION (position D) was flagged by the following process:

The 4th column of data (Column D, Figure A-1) is used because the flag is in the 4th position. The program then uses the last non-negative number in that column (45.0) to be the numerator in the percentage calculation. The program then uses 46.1, the value of flag (2) to find the denominator. This number is on the same row as the numerator (AUG data row) that is in the 2nd column (Column B). The percentage (98%) is calculated by the program and plotted by the 4th heading on the chart (ACTUAL OBLIGATION).

The following is the process for setting the flag:

a. The data set for which the percentage is to be calculated is flagged by putting a value of l-8 in the position associated with the heading in LINES 5-l2. A number is put in the first position (Position A) if a percentage is to be calculated using the first column of numbers. A number is input into the 2nd position (Position B) if a percentage is to be calculated using the data in the 2nd column. This is the process for all eight positions. The code will then use the last non-negative entry in that column as the numerator.

b. The number to be used as the denominator in the calculation is then selected by setting the flag in the chosen position. The user choses the denominator from the other data values that are contained in the same row as the numerator. The position in the row of the chosen denominator becomes the number for the flag. If the number to be used as the denominator is in the 3rd position (Column C) of the data set, the flag is then 3.

A		В		С		D		E		F		G		Н
OCT 56.0	,	3.6	,	1.0	,	1.0	,	1.0	,	0.6	,	0.0	,	0.0
NOV 56.0	,	4.1	,	3.0	,	3.0	,	2.5	,	1.1	,	0.0	,	0.0
DEC 56.0 JAN	,	11.1	,	3.5	,	4.4	,	3.0	,	1.1	,	0.5	,	0.0
	,	21.1	,	9.5	,	8.7	,	7.0	,	7.5	,	1.0	,	0.5
	,	56.0	,	18.5	,	19.8	,	13.5	,	11.8	,	6.5	,	1.0
	,	56.0	,	43.0	,	40.4	,	18.5	,	17.3	,	8.5	,	1.4
48.0 MAY	,	48.0	,	43.0	,	41.6	,	24.5	,	23.4	,	12.5	,	3.8
48.0 JUN	,	48.0	,	44.0	,	41.5	,	31.0	,	29.8	,	13.5	,	6.8
	,	46.5	,	41.7	,	42.8	,	35.0	,	34.1	,	17.0	,	13.1
46.5 AUG	,	46.5	,	45.3	,	44.7	,	38.5	,	39.3	,	21.0	,	18.9
	,	46.1	,	45.6	,	45.0	,	43.0	,	43.6	,	24.5	,	20.7
	,	-10.	,	45.6	,	-10.	,	45.6	,	-10.	,	27.8	,	-10.

Figure A-1. Data portion of input file project data.

DISTRIBUTION

	No. of <u>Copies</u>
US Army Materiel System Analysis Activity ATTN: AMXSY-MP Aberdeen Proving Ground, MD 21005	1
ITT Research Institute ATTN: GACIAC 10 W. 35th Street Chicago, IL 60616	1
AMSMI-RD, Dr. McCorkle Dr. Rhoades -RD-DE, Dr. Holloman Mr. Otto -RD-CS-T -RD-CS-R -GC-IP, Mr. Bush	1 1 25 1 1 15